

# 93875 BAYA LED



## General Information

|                               |                             |
|-------------------------------|-----------------------------|
| Material number               | 93875                       |
| Type                          | floor light                 |
| Product segment               | Indoor                      |
| Theme                         | sonstige / nicht zuordenbar |
| Energy efficiency class (EEI) | F                           |

## Dimensions

|                        |      |
|------------------------|------|
| Article Height (in mm) | 1800 |
| Article Length (in mm) | 360  |
| Net Weight (in kg)     | 6.27 |
| Base Diameter (in mm)  | 250  |

## Material & Colour

|                      |                     |
|----------------------|---------------------|
| Enclosure Material   | steel               |
| Enclosure Colour     | chrome              |
| Glass/Shade Material | glass, plastic      |
| Glass/Shade Colour   | white, satin finish |

## Functionality

|             |                      |
|-------------|----------------------|
| Switch Type | rotary-dimmer+on/off |
| Function    | LED replaceable      |
| Battery     | No                   |

## Technical Information

|                   |                  |
|-------------------|------------------|
| Protection Degree | IP20             |
| Protection Class  | 2                |
| Mains Voltage     | 220-240V,50/60Hz |
| Operation Voltage | 12V              |
| Dimmable          | Yes              |
| max. Wattage (1)  | 20W              |
| max. Wattage (2)  | 2,5W             |
| max. Wattage (3)  | 2,5W             |
| Voltage           | 220-240V         |
| U out             | 24V              |
| I out             | 1250mA           |
| Hz                | 100Hz            |

## Illuminant 1











|  |   |
|--|---|
| Socket Type (1)                        | LED   |
| Illuminant Type (1)                    | LED   |
| Illuminant incl. (1)                   | Inclusive                                     |
| Lumen Complete                         | 1950;240;250                                  |
| Kelvin Complete                        | 3000K   |
| Light colour Complete                  | WARM WHITE;WARM WHITE;WARM WHI                |
| Energy efficiency class (EEI)          | F   |
| Dimmable                               | Yes   |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

## Illuminant 2

|  |   |
|--|---|
| Socket Type (2)                        | LED   |
| Illuminant Type (2)                    | LED   |
| Illuminant incl. (2)                   | Inclusive                                     |
| Lumen Complete                         | 1950;240;250                                  |
| Kelvin Complete                        | 3000K   |
| Light colour Complete                  | WARM WHITE;WARM WHITE;WARM WHI                |
| Dimmable                               | Yes   |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

### Illuminant 3

|  |   |
|--|---|
| Socket Type (3)                        | LED   |
| Illuminant Type (3)                    | LED   |
| Illuminant incl. (3)                   | Inclusive                                     |
| Lumen Complete                         | 1950;240;250                                  |
| Kelvin Complete                        | 3000K   |
| Light colour Complete                  | WARM WHITE;WARM WHITE;WARM WHI                |
| Energy efficiency class (EEI)          | F   |
| Dimmable                               | Yes   |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

|  |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| 20W  | 1950lm  | 2.5W  | 240lm   | 2.5W  | 250lm   |   |   |   |   |

